

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRIKKEVAND**



Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevareren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

04/00233

UDSTEDT / DATE OF ISSUE:

21-05-2019

UDLØBER / EXPIRY DATE:

05-02-2021

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

**CVR 38890808
Bjerre Plus ApS
Møllevej 2
6800 Varde
DK, Danmark**

BYGGEVARE / BUILDING COMPONENT:

**Sanela by BjerrePlus Stainless steel washbasin mixer
SLU**



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 21-05-2019 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevareren efter nærværende godkendelse omfatter de versioner af byggevareren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 21-05-2019 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder.

Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

Trafik-, Bygge- og Boligstyrelsen

Danish Transport, Construction
and Housing Authority

Carsten Niebuhrs Gade 43

1577 København V

Mail: GDV@tbst.dk

Web: www.tbst.dk

København, den 21-05-2019

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

04/00233

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

Sanela by BjerrePlus Stainless steel washbasin mixer SLU

VERSIONER

VERSIONS

VARETEKST: ITEM TEXT:	DIMENSION: DIMENSION:	VARE- / SERIENUMMER: ITEM / SERIAL NUMBER:
Automatic stainless steel washbasin tap for cold or premixed water, 24 V DC	Ø50 (bredde: 115mm)	SLU 91N
Automatic stainless steel washbasin tap for cold or premixed water, 6V	Ø50 (bredde: 115mm)	SLU 91NB
Automatic stainless steel washbasin tap for cold or premixed water, longer outlet arm, 24 V DC	Ø50 (bredde: 140mm)	SLU 91ND
Automatic stainless steel washbasin tap for cold or premixed water, longer outlet arm, 6V	Ø50 (bredde: 140mm)	SLU 91NDB
Piezo stainless steel washbasin tap for cold or premixed water, 24 V DC	Ø50 (bredde: 115mm)	SLU 91NP
Piezo stainless steel washbasin tap for cold or premixed water, 6 V	Ø50 (bredde: 140mm)	SLU 91NPB
Piezo stainless steel washbasin tap for cold or premixed water, longer outlet arm, 24 V DC	Ø50 (bredde: 115mm)	SLU 91NPD
Piezo stainless steel washbasin tap for cold or premixed water, longer outlet arm, 6 V	Ø50 (bredde: 140mm)	SLU 91NPDB
Automatic stainless steel washbasin mixer, 24 V DC	Ø50 (bredde: 115mm)	SLU 92N
Automatic stainless steel washbasin mixer, 6 V	Ø50 (bredde: 115mm)	SLU 92NB
Automatic stainless steel washbasin mixer, longer outlet arm, 24 V DC	Ø50 (bredde: 140mm)	SLU 92ND
Automatic stainless steel washbasin tap with mixer, longer outlet arm, 6 V	Ø50 (bredde: 140mm)	SLU 92NDB

Piezo stainless steel washbasin mixer, 24 V DC	Ø50 (bredde: 115mm)	SLU 92NP
Piezo stainless steel washbasin mixer, 6 V	Ø50 (bredde: 115mm)	SLU 92NPB
Piezo stainless steel washbasin mixer, longer outlet arm, 24 V DC	Ø50 (bredde: 140mm)	SLU 92NPD
Piezo stainless steel washbasin tap with mixer, longer outlet arm, 6 V	Ø50 (bredde: 140mm)	SLU 92NPDB
Automatic stainless steel washbasin tap, temperature regulation by allen wrench, 24 V DC	Ø50 (bredde: 115mm)	SLU 93N
Automatic stainless steel washbasin tap, temperature regulation by allen wrench, 6 V	Ø50 (bredde: 115mm)	SLU 93NB
Automatic stainless steel washbasin tap, temperature regulation by allen wrench, longer outlet arm, 24 V DC	Ø50 (bredde: 140mm)	SLU 93ND
Automatic stainless steel washbasin tap, temperature regulation by allen wrench, longer outlet arm, 6 V	Ø50 (bredde: 140mm)	SLU 93NDB
Piezo stainless steel washbasin mixer, temperature regulation by allen wrench, 24 V DC	Ø50 (bredde: 115mm)	SLU 93NP
Piezo stainless steel washbasin mixer, temperature regulation by allen wrench, 6 V	Ø50 (bredde: 140mm)	SLU 93NPB
Piezo stainless steel washbasin mixer, temperature regulation by allen wrench, longer outlet arm, 24 V DC	Ø50 (bredde: 140mm)	SLU 93NPD
Piezo stainless steel washbasin mixer, temperature regulation by allen wrench, longer outlet arm, 6 V	Ø50 (bredde: 140mm)	SLU 93NPDB